



THE FOUNTAINHEAD GROUP

Craftsmanship, Innovation, Commitment



PRO PRODUCT CATALOG

table of **CONTENTS**

HISTORY	1
SMITH BRAND	2-19
CONSTRUCTION SPRAYERS	2-14
SPREADERS	15-17
CLEANING AND SANITATION	18-19
PEST CONTROL & REMEDIATION	19
DEWALT	20-22
FIELD KING SPRAYERS	23-25
ACCESSORIES	26-29



our **HISTORY**


The leading innovator in liquid applicator technologies for over 135 years!

At The Fountainhead Group, performance is not just a promise; it's our founding principle. Since founder D.B. Smith's introduction of the world's first compressed air sprayer in 1888, and countless industry firsts since, The Fountainhead Group continues to build on its heritage and legacy as the market's leading manufacturer and distributor of liquid applicators, sprayers, spreaders, foggers, fire pumps and custom bottles.

Our vision is simple; develop the highest quality products to enable the best results in the work you do.

Thank you for choosing The Fountainhead Group.

a tradition of
INNOVATION



OUR BRANDS



LICENSED BRANDS





**CONSTRUCTION
SPRAYERS**

SPREADERS

**CLEANING &
SANITATION**

**PEST CONTROL
& REMEDIATION**

Experience the full line of Fountainhead Group sprayers here.

www.TheFountainheadGroup.com



SANITIZE™



CLEAN™



GROW™



CONTROL™



TERMINATE™



BUILD™



MAINTAIN™



ODOR™




STAINLESS STEEL CONCRETE SPRAYERS



190448



190468



HARSH ENVIRONMENTS. HARSH CHEMICALS. NO PROBLEM.

SMITH® S103E / S103EX Stainless Steel Concrete Sprayers

- STAINLESS STEEL construction.
 - Full Body, Wand and Pump Barrel.
 - AISI – 304 grade stainless steel withstands harsh chemicals and rugged job site abuse.
- VITON® (S103E) and VITON®EXTREME™ (S103EX) SEALS
- For maximum chemical resistance.
- Unique four spoke locking mechanism.
- Secures pump to tank and prevents over compression.
- Pressure relief valve safely releases pressure before opening.
- Seal changes in minute for fast, easy repair and less downtime.

MODEL NUMBER	S103E	S103EX
ITEM NUMBER	190448	190468
TANK CAPACITY	3.5 GALLON	
EXTENSION	24" STAINLESS STEEL	
SEALS	VITON®	VITON® Extreme™
VOC COMPATIBILITY	High VOC	Low VOC
NOZZLES INCLUDED	95° Fan 0.5GPM	95° Fan / 0.5GPM 110° Fan 1.0GPM
COMPATIBILITY	SOLVENT WATER BASED OIL ACETONE ACIDS BLEACH	SOLVENT WATER BASED OIL ACETONE ACIDS BLEACH



PROFESSIONAL Sprayers



What is Low VOC?

VOCs, Volatile Organic Compounds, are often found in industrial solvents which evaporate into the air when applied and contribute to air pollution, smog, and other environmental issues.

Many regions within the US, Canada, and Europe have implemented regulations governing the amount of VOCs which can be released into the atmosphere.

As a result, chemical manufacturers offer products which are "LOW VOC" enabling the same applications and performance of traditional formulations to be achieved while ensuring compliance with VOC laws in regulated areas.

Many Low VOC formulations contain harsh chemicals such as xylene which degrade seals over time. SMITH® Sprayers with Viton® Extreme seals are best equipped to handle the aggressive nature of these chemicals, providing longer life and performance from your sprayer.

COMPETITIVE COMPARISON



TANK CONSTRUCTION

Stainless -vs- Painted Epoxy Tank

SMITH® stainless will not crack or flake when damaged which can lead to corrosion and seals not seating, causing leakage or pressurized chemicals escaping onto people or property.

COMPONENT CONSTRUCTION

Stainless -vs- Brass Components

SMITH® stainless steel pump barrel and dip tube offer longer life when submerged in chemical vs the competitor's brass barrel and dip tube.

WAND STORAGE

Stainless Pocket -vs- Plastic

SMITH's all stainless wand storage is more stable and durable, protecting the wand and nozzle from damage vs the competitor's plastic wand storage solution.



S103EX

Built to Work as Hard as You Do™

Built to withstand harsh environments and even harsher chemicals, our industrial construction series is essential for any contractor. Each product is fit with chemically resistant seals and appropriate components specifically designed for contact with concrete chemicals.



**MORE
CHEMICALLY
COMPATIBLE**



**MORE
SAFETY
FEATURES**



Stainless Steel

Tank, pump barrel, and dip tube. No need for epoxy coating that will peel over time causing pin holes to develop.



Quad Locking Top

Safely secures pump to tank body but relieves pressure over 85 PSI.



Pressure Relief Valve

A safety feature to keep the chemical where it belongs, in the tank.



Welded Stainless Wand Holder

for durability and dependability. When lifting the tank the wand won't fall through!

S103EX



Viton® Extreme™ BLUE SEALS mean maximum chemical resistance. Easy to replace.

with **Stainless Steel Wand and Shut-off**

- Toughest chemical resistance
- Best regulatory compliance
- Longest-lasting seals

S103EX is ideal for low VOC sealers, curing compounds, releasing agents, acetone, oils, and water -or solvent-based chemicals.

S103E



Viton® BROWN SEALS have long-term chemical resistance. Easy to replace.

with **Brass Wand and Shut-off**

- Tough chemical resistance
- Wide regulatory compliance
- Long-lasting seals



CONCRETE SPRAYERS



190448



190468




190451



Pressure Release Valve

SMITH® Performance S103E Stainless Steel Concrete Sprayer


- 3.5 gallon capacity AISI-304 grade stainless steel tank (no need for epoxy coatings) built to withstand harsh concrete chemicals along with rugged transport and use.
- Four-prong locking mechanism secures the pump tightly against an internal O-ring and also prevents over-compression.
- Faster, easier repair – pump seals can be changed within minutes, which equals less downtime.
- Pull button Pressure release valve safely releases internal pressure prior to opening the tank.
- Brass, 24" wand, and shut-off with Viton® seals for long-term chemical resistance.
- Improved pump design for easier service.
- Improved shutoff design for greater ergonomics.



PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190448	3.5 GAL	24" BRASS	4	40	13.3	8 41688 00390 3

SMITH® Performance S103EX Stainless Steel Concrete Sprayer


- 3.5 gallon capacity AISI-304 grade stainless steel tank (no need for epoxy coatings) built to withstand harsh concrete chemicals along with rugged transport and use.
- Four prong locking mechanism secures the pump tightly against an internal O-ring and also prevents over compression.
- Faster, easier repair – pump seals can be changed within minutes, which equals less downtime.
- Pull button Pressure release valve safely releases internal pressure prior to opening the tank.
- Stainless steel, 24" wand, and shut-off with Viton® Extreme™ seals for maximum chemical resistance.



PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190468	3.5 GAL	24" STAINLESS STEEL	4	40	13.75	8 41688 00406 1

SMITH® Performance R301 Poly Concrete Sprayer

- Professional grade sprayer and components for maximum resistance to water-based concrete chemicals.
- Brass, 24" wand containing a no-drip valve stem and shut-off with the highest quality Viton® seals for maximum chemical resistance.
- Highly efficient pump requires 25% fewer pumps per gallon than leading competitor.
- Faster, easier repair – pump seals can be changed within minutes without tools, which equals less downtime.
- Pressure release valve allows you to safely remove internal pressure prior to opening the tank.



HIGH EFFICIENCY PUMP
25% FEWER STROKES

PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190451	3 GAL	24" BRASS	1	36	7.6	8 41688 00393 4

MADE IN USA



190783



190806



SMITH® M200EP EPDM Compression Sprayer

- EPDM seals throughout for maximum compatibility with acetone and other harsh solutions.
- Specifically engineered to handle tough acetone and vinegar-based solutions (natural herbicides) without degradation or leaks.
- Upgraded Heavy-duty pro pump for added durability and efficiency.
- Heavy-duty pro shutoff with in-line filter to prevent large particles from clogging the nozzle.
- Includes TX-8 brass ConeJet® and poly flat fan nozzle.
- Carry strap for easy transport.



PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190783	2 GAL	18" POLY	1	45	5.4	8 41688 00815 6

ASSEMBLED IN USA

SMITH® M200AT Dripless Acetone Compression Sprayer

- EPDM seals throughout for maximum compatibility with acetone and other harsh solutions.
- **NEW**, Heavy-Duty Brass Dripless wand and shutoff with internal filter reduces clogging at the nozzle.
- Upgraded Heavy-duty pro pump for added durability and efficiency.
- Heavy-duty pro shutoff with in-line filter to prevent large particles from clogging the nozzle.
- Pressure Release Valve safely releases pressure before removing pump.
- Includes TX-8 brass ConeJet® nozzle.
- Carry strap for easy transport.



186155 SMITH® DRIPLESS WAND (see page 26)



PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190806	2 GAL	18" BRASS DRIPLESS	1	45	5.4	8 41688 00832 8

ASSEMBLED IN USA




High Grade Alloy Springs
for acid based chemical resistance.

190449



FLEXIBLE DIP-TUBE
That bends with gravity to allow the sprayer to reach the last bit of chemical in the bottle.

190511




FLEXIBLE DIP-TUBE
That bends with gravity to allow the sprayer to reach the last bit of chemical in the bottle.

190398



SMITH® Performance ACID Sprayer

- Professional grade sprayer and components for maximum resistance to acids.
- Poly, 21" wand and shut-off with high grade alloy springs and washer for corrosion resistance.
- Faster, easier repair – pump seals can be changed within minutes without tools, which equals less downtime.
- Pressure release valve allows you to safely remove internal pressure prior to opening the tank.
- Includes two poly flat fan nozzles – 0.15 GPM angled at 30 degrees and 0.25 GPM angled at 70 degrees.
- Interchangeable nozzle system that allows for versatility. Also accepts TeeJet™ nozzles.



PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190449	2 GAL	21" POLY	1	45	5.0	8 41688 00391 0

MADE IN USA 

SMITH® Performance T100ACID Mister

- 48 oz. capacity compression mister for tight coverage.
- Featuring Viton® F seals for acid resistance.
- Pressure release valve allows you to safely remove internal pressure prior to opening the sprayer.
- Compression pump capable of 25 PSI.
- Poly adjustable nozzle from cone to stream applications.



PRODUCT #	MODEL	SIZE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190511	T100ACID	48 OZ	12	180	6.3	8 41688 00522 8

SMITH® Performance T100ACT ACETONE Mister

- 48 oz. capacity compression mister for tight coverage and design work.
- Featuring EPDM seals for acetone chemical resistance.
- Pressure release valve allows you to safely remove internal pressure prior to opening the sprayer.
- Brass #8 conical nozzle with versatility to change out to other nozzle configurations.
- Compression pump capable of 25 PSI.




PRODUCT #	MODEL	SIZE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190398	T100ACT	48 OZ	12	180	1.0	8 41688 00336 1



SMITH® Multi-Use 18V Lithium-ion Battery Powered Backpack Sprayer

- Powered by 18V, 2.0Ah Lithium-ion battery (included).
- Up to 4 hours of spray duration on a single charge or 50 gallons of liquid.
- 3.5 hour charger included.
- Pre-set spraying pressure at 40 PSI, 0.3 GPM for typical landscape applications (with 8002 nozzle).
- Stainless steel wand, Viton® seals and powder coated steel frame for durability and chemical resistance.
- Heavy-duty kink resistant hose for added durability.
- Six nozzles included for a wide range of liquid application: Brass Adjustable, Low, High and Max volume fans, jet stream and foaming (spot treatment) nozzles.

18 Volt
Lithium-ion
2.0 Ah battery
and charger




PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190576	4 GAL	21"-STAINLESS STEEL	2	20	14.9	8 41688 00567 9

SMITH® Multi-Use 7.2V Lithium-ion Battery Powered Sprayer

- **NO MORE PUMPING!** – battery powered air compressor pump replaces manual pump.
- **Pump Zero® Technology** – Powered by a rechargeable lithium-ion battery.
- Sprays up to 12 full tanks per charge.
- Works with liquids and wettable powders.
- Six nozzles included for a wide range of liquid application: Brass Adjustable, Low, High and Max volume fans, Jet Stream and foaming (spot treatment) nozzles.
- Professional grade components: Premium shut-off with comfort grip and lock; Heavy-duty, kink-resistant hose; Heavy-duty, stainless steel wand; Pressure release valve.
- AC charger included.



PUMPZERO®
head and
charger
included



PUMPZERO®
TECHNOLOGY

PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190671	2 GAL	21"-STAINLESS STEEL	1	45	6.6	8 41688 00651 5

ASSEMBLED IN USA

SMITH®
MULTI-USE SPRAYER




190670



SMITH® Multi-Use 4 Gallon **No-Leak Pump™** Backpack Sprayer

- Internal **No-Leak Pump™** design is safer to use—chemicals will not drip down your back.
- Durable, wand has the highest quality Viton® seals for chemical resistance.
- Premium, lockable shut-off with brass components and an in-line filter.
- Heavy-duty kink resistant hose for added durability.
- Easy access pump, change seals in just minutes with no tools.
- Deluxe harness included with back pad and lumbar support for all day comfort.
- Foldable handle for easy storage.
- Six nozzles included for a wide range of liquid application: Brass Adjustable, Low, High and Max volume fans, jet stream and foaming (spot treatment) nozzles.
- Also accepts TeeJet™ nozzles.



PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190670	4 GAL	21"-POLY-LINED STAINLESS	2	24	14.0	8 41688 00650 8

SMITH® MULTI-USE SPRAYER



190683

190684


190685



190672

SMITH® Multi-Use 1, 2 & 3 Gallon Sprayers

- Versatile sprayer designed not only for lawns, but also for commercial cleaning, sanitizing, and applying harsh chemicals.
- Professional grade components: shut-off with comfortable grip; lock-on feature; and easy-to-clean, in-line filter.
- Heavy-duty, kink-resistant hose; Poly wand with Viton® seals throughout pump and shut-off for long-term resistance to chemicals.
- Pressure release valve helps prevent chemicals from getting on you before opening the tank.
- Six nozzles included for a wide range of liquid application: Brass Adjustable, Low, High and Max volume fans, Jet Stream and foaming (spot treatment) nozzles.



PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190683	1 GAL	15"-POLY	1	72	5.2	8 41688 00657 7
190684	2 GAL	21"-POLY	1	45	4.2	8 41688 00658 4
190685	3 GAL	21"-POLY	1	40	5.0	8 41688 00659 1

MADE IN USA



SMITH® Multi-Use 48oz. Sanitizing Mister

- 48 oz. tank for versatility in spot treating or confined surfaces.
- Viton® seals and gaskets provide maximum chemical resistance.
- Weighted dip tube stays in the liquid and allows highly angled spraying.
- Pressure release valve safely releases pressure prior to removing the pump.
- Includes 2 Nozzles: Brass adjustable nozzle and #3 Yellow Conejet® Conical Fine Misting Nozzle TXVK-3.



PRODUCT #	SIZE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190672	48 oz.	6	108	1.43	8 41688 00652 2

SMITH[®] CONTRACTOR

SMITH[®] Contractor Sprayers are outfitted with durable, professional level components in critical areas to deliver performance and value. These sprayers are designed to build higher pressures and deliver spray performance while utilizing cost effective poly components.



190504

190216

190217

SMITH[®]

SMITH[®] Sprayers are designed for the price conscious contractor who wants a solution for a single project. These sprayers contain components great for applications that require water-based chemicals at mid-range pressures.



190363


190364

190365

VALUE AND FUNCTIONALITY

SMITH[®] Contractor Sprayers

- Versatile sprayer designed not only for lawns, but also for commercial cleaning, sanitizing, and applying harsh chemicals.
- Premium, commercial grade shut-off with comfortable grip; lock-on feature; and easy-to-clean, in-line filter.
- 21" poly wand with Viton[®] seals throughout pump and shut-off for long-term resistance to chemicals.
- Pressure release valve helps prevent chemicals from getting on you before opening the tank.
- Includes 4 nozzles for ultimate versatility: poly adjustable, brass adjustable, and 2 flat fans.



PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190504	1 GAL	14" POLY	1	72	3.85	8 41688 00511 2
190216	2 GAL	21" POLY	1	45	5.05	8 41688 00149 7
190217	3 GAL	21" POLY	1	40	6.35	8 41688 00150 3

MADE IN USA

SPRAYERS TO GET YOU THROUGH YOUR PROJECT

SMITH[®] Sprayers

- Value sprayer armed with components to get a professional contractor through a single project.
- Safe, splash cap sends vapors and liquids down and away when top is opened.
- Highly efficient pump with Buna gaskets and seals.
- Aluminum wand, 36" reinforced hose and shut-off, poly wand with comfort grip and lock-on feature for continuous spraying.
- Brass adjustable nozzle (enables stream to cone patterns).



PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190363	1 GAL	14" POLY WAND	1	84	2.95	8 41688 00293 7
190364	2 GAL	14" POLY WAND	1	45	4.15	8 41688 00294 4
190365	3 GAL	14" POLY WAND	1	36	4.5	8 41688 00295 1

MADE IN USA



190655



Universal Quick Connect



Harness and Carry Strap



Swivel Hose Connection



Integrated Hose Storage



190552



SMITH® Performance 7.2V Lithium-ion Battery Powered Water Supply Tank

- **NO MORE PUMPING!** – battery powered air compressor pump replaces manual pump.
- Pumps up to 8 full tanks (24 Gal) per charge.
- 3 Gallon, low center of gravity tank to prevent tipping during use.
- Swivel Hose Connection increases usability while connected with saws and drills.
- Universal Quick-Connect is compatible with industry leading cut off, core drilling, and flat saws.
- Harness and carry strap allow for easy filling and offer connection points for transport.
- Dip Tube Filter prevents clogging during use.
- Integrated hose storage for easy transportation.



PUMPZERO™
head and
charger
included



PRODUCT #	SIZE	HOSE TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190655	3 GAL	10' HELIX COIL	1	40	8.2	8 41688 00625 6

ASSEMBLED IN USA

SMITH® Performance Water Supply Tank

- 3 Gallon, low center of gravity tank to prevent tipping during use.
- Swivel Hose Connection increases usability while connected with saws and drills.
- Universal Quick-Connect is compatible with industry leading cut off, core drilling, and flat saws.
- Harness and carry strap allow for easy filling and offer connection points for transport.
- Dip Tube Filter prevents clogging during use.
- Integrated hose storage for easy transportation.



PRODUCT #	SIZE	HOSE TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190552	3 GAL	10' HELIX COIL	1	40	7.25	8 41688 00555 6

MADE IN USA



190462

190436



In-Line, Easy Access Filter has more surface area than leading competitors which reduces clogging and minimizes cleaning.



190439



Weighted Dip Tube allows you to spray at various angles.



SMITH® Performance Compression Sprayers

- Professional grade sprayer and components built to withstand harsh agricultural chemicals along with rugged transport and use.
- Durable, 21" stainless steel wand with exclusive poly lining and the highest quality Viton® seals for maximum chemical resistance.
- Highly efficient pump requires 25% fewer pumps per gallon than leading competitor.
- In-line, easy-to-access filter has more surface area than leading competitors which reduces clogging and minimizes cleaning.
- Faster, easier repair – pump seals can be changed within minutes without tools, which equals less downtime.
- Also accepts TeeJet™ nozzles.


ADJUSTABLE
BRASS

LOW VOLUME
WIDE FAN
(RED)

LOW VOLUME
NARROW FAN
(YELLOW)

POLY
ADJUSTABLE


FOAMING


HIGH VOLUME
FOAMING

PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190462	2 GAL	21" POLY-LINED STAINLESS	1	45	5.1	8 41688 00401 6
190436	3 GAL	21" POLY-LINED STAINLESS	1	40	6.05	8 41688 00399 6

MADE IN USA

SMITH® Performance T100V Handheld Compression Mister

- Interchangeable nozzle system that allows for versatility. Also accepts TeeJet™ nozzles.
- Compression pump built-into the handle and is capable of 25 PSI.
- Weighted dip tube allows you to spray at various angles.
- Pressure release valve safely releases pressure before removing the pump.
- Brass adjustable nozzle can switch from stream to fine spray.


ADJUSTABLE
BRASS


CLEAN™



BUILD™



MAINTAIN™

PRODUCT #	SIZE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190439	48 oz.	12	180	1.2	8 41688 00381 1



190808

SMITH® SB65-65LB. Push Spreader

- SUMMER & WINTER APPLICATIONS IN 1 - covers more applications and reduces units needed in fleet.
- 2 QUICK CHANGE SHUTOFFS - for easy change over from summer to winter applications. Remote border control - protects sidewalk and grass from summer chemicals. Winter sidewalk setting - controls spread width of ice melt chemicals.
- 65 Lb. CAPACITY - perfect for medium duty applications.
- 10" PNEUMATIC TIRES - rugged for summer and winter application.
- RAIN COVER (accessory) - Protects your material from moisture.
- 3-SIDED DEFLECTOR KIT (accessory) - Control chemicals from reaching unwanted areas.



**QUICK
CHANGE
SHUT-OFF**
(included)



**SUMMER
SHUT-OFF**
FERTILIZER
GRASS SEED



**WINTER
SHUT-OFF**
SALT
ICE MELT

NO TOOLS REQUIRED TO INSTALL

Seed | Fertilize | Weed Control | Ice Melt

PRODUCT #	CAPACITY #	TIRES	PACK QTY	PALLET QTY	UPC
190808	65 LB.	10" PNEUMATIC	1	16	8 41688 00833 5



190809

SMITH® SB80-80LB. Push Spreader

- SUMMER & WINTER APPLICATIONS IN 1 - covers more applications and reduces units needed in fleet.
- 2 QUICK CHANGE SHUT-OFFS - for easy change over from summer to winter applications. Remote border control - protects sidewalks and grass from summer chemicals. Winter sidewalk setting - controls spread width of ice melt chemicals.
- 80 Lb. CAPACITY - perfect for heavy duty applications.
- 12" PNEUMATIC TIRES - Reduces pushing effort with positive grip.
- RAIN COVER - Protects your material from moisture.
- 3-SIDED DEFLECTOR KIT (accessory) - Control chemicals from reaching unwanted areas.



**QUICK
CHANGE
SHUT-OFF**
(included)



**SUMMER
SHUT-OFF**
FERTILIZER
GRASS SEED



**WINTER
SHUT-OFF**
SALT
ICE MELT

NO TOOLS REQUIRED TO INSTALL

Seed | Fertilize | Weed Control | Ice Melt

PRODUCT #	CAPACITY #	TIRES	PACK QTY	PALLET QTY	UPC
190809	80 LB.	12" KNOBBY PNEUMATIC	1	12	8 41688 00834 2

SMITH®



190810

SMITH® SB80SL-80LB. Push Spreader

- SUMMER & WINTER APPLICATIONS IN 1 - covers more applications and reduces units needed in fleet.
- 2 QUICK CHANGE SHUTOFFS - for easy change over from summer to winter applications. Remote border control - protects sidewalks and grass from summer chemicals. Winter sidewalk setting - controls spread width of ice melt chemicals.
- 80 Lb. CAPACITY - perfect for heavy duty applications.
- 12" PNEUMATIC TIRES - Reduces pushing effort with positive grip.
- TriCLAW™ AGITATOR - Breaks up material for less clogging.
- ALL STAINLESS FRAME CONSTRUCTION - Resists corrosion from harsh chemicals and weather.
- RAIN COVER - Protects your material from moisture,
- 3-SIDED DEFLECTOR KIT (accessory) - Control chemicals from reaching unwanted areas.

Seed | Fertilize | Weed Control | Ice Melt

QUICK CHANGE SHUT-OFF (included)


**SUMMER
SHUT-OFF**
FERTILIZER
GRASS SEED

**WINTER
SHUT-OFF**
SALT
ICE MELT


NO TOOLS REQUIRED TO INSTALL

PRODUCT #	CAPACITY #	TIRES	PACK QTY	PALLET QTY	UPC
190810	80 LB.	12" KNOBBY PNEUMATIC	1	12	8 41688 00835 9



190811

SMITH® SB80ST-80LB. Push Spreader

- SUMMER & WINTER APPLICATIONS IN 1 - covers more applications and reduces units needed in fleet.
- 2 QUICK CHANGE SHUTOFFS - for easy change over from summer to winter applications. Remote border control - protects sidewalks and grass from summer chemicals. Winter sidewalk setting - controls spread width of ice melt chemicals.
- 80 Lb. CAPACITY - perfect for heavy duty applications.
- 12" PNEUMATIC TIRES - Reduces pushing effort with positive grip.
- TriCLAW™ AGITATOR - Breaks up material for less clogging.
- TORQUE GRIP HANDLE DESIGN - Offers more control and ergonomic comfort pros prefer.
- ALL STAINLESS FRAME CONSTRUCTION - Resists corrosion from harsh chemicals and weather.
- RAIN COVER - Protects your material from moisture.
- 3-SIDED DEFLECTOR KIT (accessory) - Control chemicals from reaching unwanted areas.

Seed | Fertilize | Weed Control | Ice Melt

QUICK CHANGE SHUT-OFF (included)


**SUMMER
SHUT-OFF**
FERTILIZER
GRASS SEED

**WINTER
SHUT-OFF**
SALT
ICE MELT


NO TOOLS REQUIRED TO INSTALL

PRODUCT #	CAPACITY #	TIRES	PACK QTY	PALLET QTY	UPC
190811	80 LB.	12" KNOBBY PNEUMATIC	1	12	8 41688 00836 6



SPREADERS: AT-A-GLANCE FEATURES & BENEFITS



	SB80ST	SB80SL	SB80	SB65
SUMMER & WINTER APPLICATIONS IN 1 - Covers more applications and reduces units needed in fleet.				
2 QUICK CHANGE SHUTOFFS - For easy change over from summer to winter applications. • REMOTE BORDER CONTROL - Protects sidewalks and grass from summer chemicals. • WINTER SIDEWALK SETTING - Controls spread width of ice melt chemicals.				
65 lb. CAPACITY - Perfect for medium duty applications.				
80 lb. CAPACITY - Perfect for heavy duty applications.				
10" PNEUMATIC TIRES - Rugged for summer and winter application.				
12" KNOBBY PNEUMATIC TIRES - Reduces pushing effort with positive grip.				
TriCLAW™ AGITATOR - Breaks up material for less clogging.				
TORQUE GRIP HANDLE DESIGN - Offers more control and ergonomic comfort pros prefer.				
ALL STAINLESS FRAME CONSTRUCTION - Resists corrosion from harsh chemicals and weather.				
RAIN COVE ACCESSORY - Protects your material from moisture.				accessory
3-SIDED DEFLECTOR KIT - Control chemicals from reaching unwanted areas.	accessory	accessory	accessory	accessory

SMITH®

LARGE SURFACE
CLEANING


190456

SMALL SURFACE
CLEANING


190455


SANITIZE AND
DISINFECT


190672



SMITH® Performance Foaming Sprayer

- Professional grade sprayer and components built to withstand harsh cleaning chemicals.
- Durable, 21" stainless steel wand with exclusive poly lining and the highest quality Viton® seals for maximum chemical resistance.
- Highly efficient pump requires 25% fewer pumps per gallon than leading competitor.
- In-line, easy-to-access filter has more surface area than leading competitors reducing clogging and minimizing cleaning.
- Pump seals can be changed within minutes without tools resulting in down time.



PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190456	2 GAL	4"-POLY-LINED STAINLESS	1	45	5.1	8 41688 00398 9


MADE IN USA

SMITH® Performance Handheld Mister

- 1.5 liter, premium sprayer offers tight coverage and spot treatments.
- Tiny compression pump built right into the handle and is capable of 25 PSI.
- Weighted dip tube allowing you to spray at various angles.
- Pressure release valve safely releases pressure before removing the pump.
- Two nozzles included: poly adjustable and high performance foaming nozzle.



25PSI COMPRESSION PUMP CAPABILITY



PRODUCT #	SIZE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190455	48 oz.	12	180	1.13	8 41688 00397 2

SMITH® Multi-Use 48oz. Sanitizing Mister

- 48 oz. tank for versatility in spot treating or confined surfaces.
- Viton® seals and gaskets provide maximum chemical resistance.
- Weighted dip tube stays in the liquid and allows highly angled spraying.
- Pressure release valve safely releases pressure prior to removing the pump.
- Includes 2 Nozzles: brass adjustable nozzle and #3 Yellow Conejet® Conical Fine Misting Nozzle TXVK-3.



PRODUCT #	MODEL #	SIZE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190672	TT100V	48 OZ.	6	108	1.4	8 41688 00397 2



PEST CONTROL




185302



PUMP ZERO™
head and
charger
included

190728

4-Way Brass Nozzle
for precise applications
with coarse & fine fan,
C&C straw and
pin stream.



REMEDiation



190695W

SMITH® VC3 Vector Control Misting Nozzle

- Superior Control with Greater Productivity! - Replaces gas powered blowers for Vector Control and Fungicide applications. Patent Pending.
- Mist Output 50+ Micron Droplet - Nozzles create a vortex plume wrapping the solution onto the back side of the leaf where Mosquitoes harbor and fungus starts.
- Ceramic Insert Nozzle Cluster - Durability and pro-level performance.
- Nozzle Cluster Creates 6-8 Ft. Droplet Plume - Provide the ultimate in localized Mosquito or fungus control.
- Viton Seals - Field tested for maximum compatibility.
- Optimized for use with FLO-IQ sprayers - Pressure range (40-90 PSI).

PRODUCT #	PACK QTY	UPC
185302	5	8 41688 00664 5

SMITH® Performance 7.2V Lithium-ion Battery Powered Sprayer

- **NO MORE PUMPING!** - battery powered air compressor pump replaces manual pump.
- **Pump Zero®** Technology - Powered by a rechargeable lithium-ion battery.
- Maintains optimum pressure range (16-23psi).
- Includes interchangeable 4-way and 50015ESS fan nozzle.
- Heavy-duty 50" reinforced rubber & nylon hose provides durability.
- 18" Brass Wand and Professional Shut-off with Comfort Grip and Internal Filter.
- Viton® seals, gaskets and check-valves throughout.
- 64" Pro Shoulder Strap with comfort pad for easy operation.
- Pressure Release Valve prevents "spray back" prior to opening.



PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190728	1 GAL	18"-BRASS	1	50	6.4	8 41688 00692 8

ASSEMBLED IN USA

SMITH® Performance COLD ULV Fogger-Electric

- Useful for applying deodorizer, disinfectants and chemicals used for coating the inside of heat ducts or other surfaces.
- Flexible hose to help reach into confined spaces.
- Integrated, adjustable nozzle changes from light mists to heavy coatings.
- Comfortable carry handle and integrated hose storage.
- Utilizes a 110V power supply.



**Integrated
Adjustable
Nozzle**



PRODUCT #	MODEL #	SIZE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190695W	ULV17	1.7 GAL	1	30	11.5	8 41688 00682 9

DEWALT®

GUARANTEED TOUGH.®



DXSP190681



VARIFLO™
Allows for a wide range of applications for consistent spraying.



Deluxe Harness
with waistbelt for all day comfort.




Includes



Compatible with all DEWALT® 20V* MAX & 60V MAX Flex Volt™

DEWALT® 20V* Lithium-ion Battery Powered Backpack Sprayer

- 4 gallon backpack sprayer with variable flow adjustment for consistent and repeatable applications.
- 21" heavy-duty, non-corrosive stainless steel wand is four times stronger than poly wand.
- Sealed and water resistant battery compartment and shroud for internal protection from the elements.
- Nickel plated brass swivel connection provides better range of motion without kinking the hose.
- 50" Heavy-duty reinforced hose prevents the hose from kinking.
- Viton® seals resists harsh chemicals.
- Triple filtration system reduces clogging from debris.
- Shut-off with comfort grip, lock & filter can be operated with heavy-duty work gloves on.
- Product # DXSP190681 includes AC charger and 2.0Ah lithium-ion battery (Sprayer fits most DEWALT batteries).



PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
DXSP190681	4 GAL	21"-STAINLESS STEEL	1	20	19.14	8 41688 00647 8
DXSP190742**	4 GAL	21"-STAINLESS STEEL	1	20	17.2	8 41688 00707 9

Manufactured under license by The Fountainhead Group, Inc.

* Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18.

** Battery not included. This product is tool only.

DEWALT®

GUARANTEED TOUGH.®




DXSPI90786B



DEWALT® 2-Gallon 20V MAX™ Compressed Air Sprayer

- 20V MAX Platform with FlexVolt compatibility - No need to manually pump - Saves 20% of time.
- Compressed Air Design.
- Mechanicals not exposed to chemicals for longer life.
- Consistent output of 20 to 25 PSI.
- Viton seals throughout provide compatibility with most water-based herbicides, insecticides and fungicides.
- DEWALT power tool-style shutoff is a durable, ergonomic step up pro shutoff.
- 60" Kink-resistant hose provides durability and eliminates pinching off flow.
- 21" Stainless Steel wand is rigid and highly crush/bend resistant.
- 6 Nozzles included (brass adjustable, 3 fans, jet stream, foaming) for various chemical applications.



PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
DXSPI90786B*	2 GAL	21"-STAINLESS STEEL	1	32	7.17	8 41688 00904 2

Manufactured under license by The Fountainhead Group, Inc.

*Battery not included. This product is tool only.

PROFESSIONAL Sprayers

INDUSTRIAL & CONSTRUCTION

DEWALT®

GUARANTEED TOUGH.®



DXSPI90652



Thick Adjustable Padded Straps
for all day comfort.



Large Opening
for easy filling.



DXSPI90612



Less Pumping
to get the job done.




Multiple nozzles
for targeted applications.

DEWALT® Internal Piston Pump Backpack Sprayer

- No leak internal piston pump keeps the chemicals in the tank.
- Heavy-duty reinforced hose prevents the hose from kinking.
- Internal agitation system mixes wettable powders and liquids.
- Swiveling pump handle for compact storage.
- Viton® seals resists harsh chemicals.
- Built-in carry handle for compact storage.
- Stainless-steel wand is 4X stronger than poly material.
- 25% more efficient No-Leak Pump™ requires less pumping to reach optimal pressure.
- Comfort grip and shut-off can be easily operated with heavy-duty work gloves.



*25% more efficient no-leak pump than Field King Backpack Sprayer (190350)



PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
DXSPI90652	4 GAL	21"-STAINLESS STEEL	2	24	14.62	8 41688 00635 5


Manufactured under license by The Fountainhead Group, Inc.

DEWALT® Manual Pump Sprayer

- Designed with a teardrop shaped tank that is wider at the base for increased stability.
- Heavy-duty reinforced hose prevents the hose from kinking.
- Viton® seals resists harsh chemicals.
- Nozzle storage tray for protection and drip control.
- Steel pump rod pumps at a higher pressure with longer life.
- Stainless-steel wand is 4X stronger than poly material.
- Easy tab system on the pump allows seals to be changed in minutes.
- Comfort grip and shut-off can be easily operated with heavy-duty work gloves.



*20% more efficient than Smith Premium 2 gallon Sprayer (190364)



PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
DXSPI90612	2 GAL	21"-STAINLESS STEEL	1	40	5.45	8 41688 00624 9

Manufactured under license by The Fountainhead Group, Inc.

MADE IN USA



PROMAX

FIELD KING® Sprayers are built for durability, efficiency and value to help landscapers and other professionals get their job done effectively while protecting their bottom line.



190515



Poly Wand with lockable shut-off.

**CONSTANT
40 PSI** SPRAYING
PRESSURE



FIELD KING® PROMAX 18V Lithium-ion Battery Powered Backpack Sprayer


- 18 Volt lithium-ion 2.0Ah battery.
- 4 hours of spray duration on a single charge or 50 gallons of liquid (with 8002 nozzle).
- 3.5 hour charger included.
- Pre-set spraying pressure at 40 PSI, 0.3 GPM, for typical landscape applications (with 8002 nozzle).
- Poly wand and powder coated steel frame for durability and chemical resistance.
- Super padded shoulder harness protecting battery compartment.



18 Volt
Lithium-ion
2.0 Ah battery
and charger



Ultra
Padded
Shoulder
Harness



ADJUSTABLE
BRASS

LOW VOLUME
WIDE FAN
(RED)

LOW VOLUME
NARROW FAN
(YELLOW)

FOAMING

UP TO
4 HRS
50 GAL
ON A SINGLE CHARGE

PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190515	4 GAL	21" POLY	2	20	14.5	8 41688 00533 4



190571



190348



Poly-Lined Stainless Wand

FIELD KING® PROMAX Lithium-ion Battery Powered Sprayer

- NO MORE PUMPING! – battery powered air compressor pump replaces manual pump.
- Pump Zero® Technology – Powered by a 7.2 Volt rechargeable lithium-ion battery.
- Sprays up to 12 full tanks per charge.
- Works with liquids and wettable powders.
- Brass adjustable nozzle (enables stream to cone patterns).
- Professional grade components: Premium shut-off with comfort grip and lock; Heavy-duty, reinforced hose; Extra long, Heavy-duty, non-corrosive wand; Pressure release valve.
- Featuring Viton® seals for chemical resistance.
- AC charger included.


Pump Zero
head and
charger
included

PUMP ZERO
TECHNOLOGY


PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190571	4 GAL	21"-POLY	1	45	6.3	8 41688 00574 7


ASSEMBLED IN USA



FIELD KING® MAX No-Leak Pump™ Backpack Sprayer

- Internal No Leak Pump™ design is safer to use – chemicals will not drip down your back.
- Durable, wand has the highest quality Viton® seals for chemical resistance.
- Premium, lockable shut-off with brass components and an in-line filter.
- Easy access pump, change seals in just minutes with no tools.
- Deluxe harness included with back pad and lumbar support for all day comfort.
- Foldable handle for easy storage.
- Also accepts TeeJet™ nozzles.


Deluxe
Padded
Shoulder
Harness

26%
MORE POWERFUL
than 2019 models!


PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190348	4 GAL	21" POLY-LINED STAINLESS	2	24	13.5	8 41688 00280 7

★ ★ FIELD KING®



190328



Poly-Lined Stainless Wand



190350



FIELD KING® Professional No-Leak Pump™ Backpack Sprayer


- Internal No-Leak Pump™ design is safer to use – chemicals will not drip down your back.
- Durable, wand has the highest quality Viton® seals for chemical resistance.
- Premium, lockable shut-off with brass components and an in-line filter.
- Easy access pump, change seals in just minutes with no tools.
- Also accepts TeeJet™ nozzles.



Padded
Shoulder
Harness




26%
MORE POWERFUL
 than 2019 models!



PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190328	4 GAL	21" POLY	2	24	12.8	8 41688 00258 6

FIELD KING® Backpack Sprayer

- Large Piston Pump.
- Professional shut-off with comfort grip, lock and filter.
- Viton® seals and gaskets provide maximum chemical resistance.
- 4 Nozzle System – Includes brass adjustable, 2 flat fans and our patented foaming nozzle.
- Adjustable padded straps with waist belt and chest cinch strap.



PRODUCT #	SIZE	WAND TYPE	PACK QTY	PALLET QTY	WEIGHT (lbs.)	UPC
190350	4 GAL	21" POLY-LINED STAINLESS	2	24	10.8	8 41688 00282 1

ACCESSORIES

SHUT-OFFS



182868



182870

PRODUCT #	DESCRIPTION	INCLUDED (FOR USE WITH)	UPC	WEIGHT (lbs.)
182865	Professional Poly Shut-off with In-Line Filter and Lock	190461, 190462, 190436, 190445, 190447, 190452, 190456	8 41688 00414 6	0.64
182866	Professional Stainless Steel Shut-off with In-Line Filter and Lock	190441, 190442	8 41688 00415 3	1.10
182867	Professional Brass Shut-off with Nylon Handle	190446, 190448, 190451	8 41688 00416 0	0.90
182868	Professional Poly Shut-off with In-Line Filter and Lock for Acid Sprayer	190449	8 41688 00417 7	0.90
183122	Professional Stainless Steel Shut-off with In-Line Filter and Lock and Viton® Extreme™ Seals	190468	8 41688 00538 9	1.10

WANDS

PRODUCT #	DESCRIPTION	INCLUDED (FOR USE WITH)	UPC	WEIGHT (lbs.)
186155	SMITH® 18" Brass Dripless Wand	190450, 190806, 190728	8 41688 00847 2	1.0
182869	21" Professional Poly Wand	190447	8 41688 00418 4	0.79
183146	21" Professional Poly Wand for Acid Sprayer	190449	8 41688 00540 2	0.79
182870	21" Professional Stainless Steel Wand with Poly Lining	190461, 190462, 190436, 190445, 190452, 190456	8 41688 00419 1	0.82
182871	18" Professional Stainless Steel Wand with SS Sleeve	Accessory	8 41688 00420 7	0.77
182875	24" Professional Brass Wand	190448, 190451	8 41688 00424 5	0.81

SHUT-OFF & WAND KIT

PRODUCT #	DESCRIPTION	INCLUDED (FOR USE WITH)	UPC	WEIGHT (lbs.)
183028	18" Professional No-Drip Brass Wand Shut-off Kit for Compression Sprayer	190450	8 41688 00492 0	1.21

HOSE & SHUT-OFF KITS



182884

PRODUCT #	DESCRIPTION	INCLUDED (FOR USE WITH)	UPC	WEIGHT (lbs.)
182884	PVC Hose and Poly Shut-off Kit for 2 Gallon Poly Sprayer	190462, 190445, 190447, 190456	8 41688 00433 7	1.60
182885	PVC Hose and Poly Shut-off Kit for 3 Gallon Poly Sprayer	190436	8 41688 00434 4	1.40
182886	PVC Hose and Poly Shut-off Kit for 4 Gallon Backpack Sprayer	190461, 190452	8 41688 00435 1	1.40
182887	PVC Hose and Poly Shut-off Kit for 2 Gallon Acid Sprayer	190449	8 41688 00436 8	1.30
185215	Smith 4 Gallon Lithium-ion Backpack Replacement Shutoff & Kink-Resistant Hose w/ Swivel Connection Kit	All Lithium-Ion Backpacks	8 41688 00697 3	1.80
185216	Smith 2 Gallon Replacement Shutoff & Kink-Resistant Hose Kit	All Smith 2 Gallon Sprayers	8 41688 00698 0	1.75

HOSE ASSEMBLIES



182889

PRODUCT #	DESCRIPTION	INCLUDED (FOR USE WITH)	UPC	WEIGHT (lbs.)
182889	EPDM Hose with Brass Fittings	190450	8 41688 00437 5	1.10
182890	Nylon Lined Hose Assembly for Pest Control Sprayer	190441	8 41688 00438 2	1.10
182891	Nylon Lined (Silicone Free), Synthetic Fiber Reinforced, Synthetic Rubber Hose with Brass Fittings	190448, 190468	8 41688 00439 9	1.22
182892	PVC Hose with Fittings	190442, 190446	8 41688 00440 5	0.96
182893	Nylon Lined Seamless Core Encased in Flexible Braid with Reinforced Rubber Cover	190451	8 41688 00441 2	0.87
183821	10' Helix Coil Hose for H2O Tank	190552	8 41688 00560 0	1.90

ACCESSORIES (CONT'D)

QUICK CONNECT KIT

PRODUCT #	DESCRIPTION	INCLUDED (FOR USE WITH)	UPC	WEIGHT (lbs.)
183820	Quick Connect for H2O Tank	190552	8 41688 00558 7	0.10

PUMP ASSEMBLIES

PRODUCT #	DESCRIPTION	INCLUDED (FOR USE WITH)	UPC	WEIGHT (lbs.)
182895	Poly Viton® Pump Assembly with Steel Pump Rod	190462, 190436, 190445, 190447, 190451, 190456	8 41688 00442 9	1.20
183143	Poly Viton® F Pump Assembly for ACID sprayer	190449	8 41688 00539 6	1.20
182896	Stainless Steel Viton® Pump for 3.5 Gallon Tank	190448	8 41688 00443 6	5.65
183118	Stainless Steel Viton® Extreme™ Pump for 3.5 Gallon Tank	190468	8 41688 00537 2	5.65
182897	Poly EPDM Pump Assembly with Steel Pump Rod	190450	8 41688 00444 3	1.30

PUMP SERVICE KITS

PRODUCT #	DESCRIPTION	INCLUDED (FOR USE WITH)	UPC	WEIGHT (lbs.)
182643	Viton® 1 Gallon Stainless Steel Tank	190441	8 41688 00446 7	0.21
182644	Viton® 3.5 Gallon Stainless Steel Tank	190448	8 41688 00447 4	0.21
183120	Viton® Extreme™ 3.5 Gallon Stainless Steel Tank	190468	8 41688 00517 4	0.21
182656	Viton® 4 Gallon Backpack Sprayer	190461, 190442, 190446, 190452	8 41688 00448 1	0.22
182675	Viton® 2 & 3 Gallon Poly Sprayer	190462, 190436, 190445, 190447, 190449, 190451, 190456	8 41688 00449 8	0.22
183144	Viton® F ACID Sprayer and H2O Tank	190449, 190552	8 41688 00520 4	0.22
182676	EPDM 2 Gallon Acetone Sprayer	190450	8 41688 00450 4	0.22
182904	Electric Thermal Fogger	190443	8 41688 00451 1	0.30

SHUT-OFF SERVICE KITS

PRODUCT #	DESCRIPTION	INCLUDED (FOR USE WITH)	UPC	WEIGHT (lbs.)
182905	Viton® Shut-off Service Kit for Professional Poly Shut-off with in-line Filter and Lock	190461, 190462, 190436, 190445, 190447, 190449, 190452, 190456	8 41688 00452 8	0.21
183141	Viton® Shut-off Service Kit for ACID Resistant Professional Poly Shut-off with in-line Filter and Lock	190449	8 41688 00519 8	0.21
182906	Viton® Shut-off Service Kit for Professional Brass Shut-off with Nylon Handle	2017 Versions of 190446, 190448, 190451	8 41688 00453 5	0.22
182569	EPDM Shut-off Kit for Professional No-Drip Brass Wand and Shut-off	190450	8 41688 00454 2	0.34
182621	Viton® Shut-off Service Kit for Professional Stainless Steel Shut-off with In Line Filter and Lock	190441, 190442. (2018 Versions of 190448, 190446, 190451)	8 41688 00455 9	0.21
183123	Viton® Extreme™ Shut-off Service Kit for Professional Stainless Steel Shut-off with In Line Filter and Lock	190468	8 41688 00518 1	0.21

CARRY STRAPS

PRODUCT #	DESCRIPTION	INCLUDED (FOR USE WITH)	UPC	WEIGHT (lbs.)
182942	Nylon Carrying Strap for Poly 2 and 3 Gallon Poly Tanks	190462, 190436, 190445, 190447, 190449, 190450, 190451, 190456	8 41688 00486 3	0.31
182943	Padded Deluxe Nylon Backpack Straps for 4 Gallon Backpack Sprayer	190461, 190442, 190446, 190452	8 41688 00529 7	0.46
182944	Nylon Carrying Strap for Stainless Steel Sprayers	190441, 190448, 190468	8 41688 00487 0	0.32
183819	Harness Assembly for H2O Tank	190552	8 41688 00559 4	0.50



182895



182644



182905



182942

ACCESSORIES (CONT'D)

PRESSURE RELIEF VALVES

PRODUCT #	DESCRIPTION	INCLUDED (	UPC	WEIGHT (lbs.)
182945	Viton® Pressure Relief Valve for Poly 2 and 3 Gallon Poly Sprayer Tanks, and H2O Tank	190462, 190436, 190445, 190447, 190449, 190451, 190456, 190552	8 41688 00488 7	0.23
182946	EPDM Pressure Relief Valve for Poly 2 Gallon Acetone Sprayer	190450	8 41688 00489 4	0.23
182947	Viton® Pressure Relief Valve for Stainless Steel 3.5 & 1 Gallon Sprayers	190441, 190448	8 41688 00490 0	0.23
183116	Viton® Extreme™ Pressure Relief Valve for Stainless Steel 3.5 Gallon Sprayer	190468	8 41688 00516 7	0.23
183147	Viton® F Pressure Relief Valve for ACID Sprayer	190449	8 41688 00521 1	0.23

NOZZLES, NOZZLE KITS, VALVE STEMS

PRODUCT #	DESCRIPTION	INCLUDED	UPC	WEIGHT (lbs.)
182619	Poly Adjustable Nozzle (181822), Poly Cap Nut (181804), Viton® Flat Seal (181812), Low Volume Foaming Nozzle Assembly (180266), High Volume Foaming (182187), Red Poly Flat Fan Tip: .25 GPM - 70° FAN (180097), Yellow Poly Flat Fan Tip: .15 GPM - 30° FAN (180168)	190445, 190447, 190449, 190452, 190456	8 41688 00457 3	0.23
182620	Brass Adjustable Nozzle (181823), Poly Cap Nut (181804), Viton® Flat Seal (181812), Low Volume Foaming Nozzle Assembly (180266), High Volume Foaming (182187), Red Poly Flat Fan Tip: .25 GPM - 70° FAN (180097), Yellow Poly Flat Fan Tip: .15 GPM - 30° FAN (180168)	190461, 190462, 190436	8 41688 00458 0	0.20
182915	Brass Adjustable Nozzle with Brass Threading	190446, 190450, 190448, 190451	8 41688 00459 7	0.20
182916	High Volume Foaming Nozzle Kit	190455, 190461, 190462, 190436, 190445, 190447, 190449, 190452, 190456	8 41688 00460 3	0.20
182917	Poly Adjustable Nozzle with Gray Poly Threading	190445, 190447, 190449, 190452, 190456	8 41688 00461 0	0.20
182918	Poly Adjustable Nozzle with Black Poly Threading	190455	8 41688 00462 7	0.20
182919	Brass Adjustable Nozzle with Gray Poly Threading	190461, 190462, 190436	8 41688 00463 4	0.20
182920	Brass Adjustable Nozzle with Black Poly Threading - EPDM	190398	8 41688 00464 1	0.20
182921	Brass Flat Fan Tip .2 GPM - 80° FAN, 8002	190446	8 41688 00465 8	0.20
182922	Brass Flat Fan Tip .5 GPM - 80° FAN, 8005	190446	8 41688 00466 5	0.20
182923	5 PSI Poly Check Valve with Stainless Check Ball	190441, 190442, 190446, 190448, 190451	8 41688 00467 2	0.20
182924	Brass Flat Fan Tip .5 GPM - 95° FAN, 9505	190448, 190451	8 41688 00468 9	0.20
182925	Brass Flat Fan Tip 1 GPM - 110° FAN, 11010	190448, 190452	8 41688 00469 6	0.20
182926	Brass Flat Fan Tip .4 GPM - 80° FAN, 8004	Accessory Only	8 41688 00470 2	0.20
182927	Brass Flat Fan Tip .2 GPM - 65° FAN, 6502	Accessory Only	8 41688 00471 9	0.20
182928	Poly Cap Nut - Gray	190445, 190447, 190449, 190452, 190456, 190461, 190462, 190436	8 41688 00472 6	0.20



182945



182915



182917



182916



182620



182924

ACCESSORIES (CONT'D)

ACCESSORIES

NOZZLES, NOZZLE KITS, VALVE STEMS (CONTINUED)

PRODUCT #	DESCRIPTION	INCLUDED	UPC	WEIGHT (lbs.)
182929	Poly Cap Nut - Black for Hand Held Mister/Foamer	190398, 190455	8 41688 00473 3	0.20
182930	Brass Cap Nut	190446, 190450, 190448, 190451	8 41688 00474 0	0.20
182931	Poly Low Volume Foaming Nozzle Kit	190445, 190447, 190449, 190452, 190456, 190461, 190462, 190436	8 41688 00475 7	0.20
182932	Poly Fan Nozzle Kit: Red Poly Flat Fan Tip .25 GPM - 70° FAN, Yellow Poly Flat Fan Tip: .15 GPM - 30° FAN	190445, 190447, 190449, 190452, 190456, 190461, 190462, 190436	8 41688 00476 4	0.20
182934	25 PSI Poly Pressure Regulator	190461	8 41688 00478 8	0.20
182935	Flat Viton® Seal for use with Poly Cap Nut (181804)	190445, 190447, 190449, 190452, 190456, 190461, 190462, 190436	8 41688 00479 5	0.20
182936	#8 Brass Conical Nozzle: .13 GPM - 80° FAN -TX8	Accessory Only	8 41688 00480 1	0.20
182937	#4 Green Poly Conical Nozzle Tip with Ceramic Insert: .07 GPM- 80° FAN, TXVK4	Accessory Only	8 41688 00481 8	0.20
182938	#6 Red Poly Conical Nozzle Tip with Ceramic Insert: .10 GPM- 80° FAN, TXVK6	Accessory Only	8 41688 00482 5	0.20
182939	#8 Gray Poly Conical Nozzle Tip with Ceramic Insert: .13 GPM- 80° FAN, TXVK8	Accessory Only	8 41688 00483 2	0.20
182940	#12 Black Poly Conical Nozzle Tip with Ceramic Insert: .20 GPM- 80° FAN, TXVK12	Accessory Only	8 41688 00484 9	0.20
182941	#10 Brown Poly Conical Nozzle Tip with Ceramic Insert: .16 GPM- 80° FAN, TXVK10	Accessory Only	8 41688 00485 6	0.20
18533	Smith Nozzle Replacement Kit - 4-Way, Brass Nozzle; Unijet SS, Nozzle, Tip 50015E; Nut, Brass Extension; 5 PSI check valve; Seal, Viton, Extension (1)	190441, 190728	8 41688 00715 4	0.90
185246	Smith 6 Piece Nozzle Kit - Adjustable Brass, Jet Stream, Foaming, Max Volume Fan, High Volume Fan, Low Volume Fan	All Sprayers using Smith Professional Shutoff, Including Field King	8 41688 00699 7	0.17

REPLACEMENT KITS

PRODUCT #	PACK QTY	WEIGHT LBS	UPC	PRODUCT	DESCRIPTION	
184768	10	0.60	8 41688 00643 0	DEWALT® Pump Seal Replacement Kit	Fits DEWALT® Manual Pump sprayers.	
184766	10	0.75	8 41688 00641 6	DEWALT® 21" SS Wand & Brass Nozzle Kit	Fits DEWALT® Manual Pump, Internal Piston Pump Back- pack and 20V Lithium-ion Backpack sprayers.	
184770	10	0.54	8 41688 00645 4	DEWALT® Backpack Service Kit	Fits DEWALT® Internal Piston Pump Backpack sprayers.	



THE FOUNTAINHEAD GROUP

Craftsmanship, Innovation, Commitment

CONTACT US

ADDRESS:	23 Garden Street, New York Mills, NY 13417		
BUSINESS HOURS:	8 AM to 5 PM EST Monday through Friday		
CONTACT INFORMATION:	Phone:	315.736.0037	
	Customer Service:	800.311.9903	
	Sales:	800.311.9903	
	Fax:	315.768.4220	
WEBSITES:	www.TheFountainheadGroup.com www.smithperformancesprayers.com		

©2026 DEWALT. DEWALT® and GUARANTEED TOUGH® are registered trademarks of the DEWALT Industrial Tool Co., used under license. All rights reserved. The yellow and black color scheme is a trademark for DEWALT Power Tools and Accessories.

©2026 Viton® is a registered trademark of E.I. DuPont de Nemours & Co.

©2026 TeeJet® is a registered trademark of TeeJet® Technologies and Spraying Systems Company

©2026 SMITH® is a registered trademark of The Fountainhead Group Inc.

©2026 FIELD KING® is a registered trademark of The Fountainhead Group Inc.

